

# API Inquiry: get\_allpayname

<b>Description</b>	Returns payment details, including unposted batches, with the prospect name.		
<b>Parameters</b>	<b>scheme</b>	GET	<i>Required.</i> All connection types. Inquiry type indicator.
	<b>action</b>	get_allpayname	<i>Required.</i> All connection types. Variable representing the specific inquiry.
	<b>URL</b>	nnn.nnn.n.n	<i>Optional.</i> Direct and DAD only. The URL of the requester, used for reporting. Results will display only if a URL is included.
	<b>Dsource</b>	xxxxxxxx	<i>Required.</i> Connection pooling servlet only. The key to the client door to the database.
		APPEALCODE	<i>Optional.</i> Restricts to payments with this appealcode.
		EVENT	<i>Optional.</i> Restricts to payments with appealcode matching events.appealcode.
		FUNDCODE	<i>Optional.</i> Restricts to payments with this fundcode.
		TRANTYPE	<i>Optional.</i> Restricts to payments with this trantype.
		IDNUMBER	<i>Optional.</i> Restricts to payments with this idnumber.
		ALIAS	<i>Optional.</i> Restricts to payments for prospects with this alias.
		ALIAS_TYPE	<i>Optional.</i> Used in combination with alias to restrict prospect selection.
	PAYDATE_START	<i>Optional.</i> Restricts to payments with paydate on or after this date. (MM/DD/YYYY)	
	PAYDATE_END	<i>Optional.</i> Restricts to payments with paydate on or before this date. (MM/DD/YYYY)	
	TOPN	<i>Optional.</i> This is an integer. Restricts to that number of top payments, ranked on the basis of payamount.	
<b>Sample Data</b>	<pre>&lt;?xml version="1.0" encoding="UTF-8"?&gt; &lt;XMLREQUEST&gt; &lt;RECORD&gt; &lt;APPEALCODE&gt;1234&lt;/APPEALCODE&gt; &lt;PAYDATE_START&gt;01/01/2011&lt;/PAYDATE_START&gt; &lt;/RECORD&gt; &lt;/XMLREQUEST&gt;</pre>		
<b>Sample Result</b>	<pre>&lt;?xml version="1.0" encoding="UTF-8"?&gt;   &lt;XMLREQUEST&gt;     &lt;RECORD&gt;       &lt;APPEALCODE&gt;APPEAL1&lt;/APPEALCODE&gt;       &lt;PAYDATE_START&gt;01/01/2011&lt;/PAYDATE_START&gt;     &lt;/RECORD&gt;   &lt;/XMLREQUEST&gt;   &lt;?xml version="1.0" ?&gt;   &lt;GET_ALLPAYNAME TRANS_TIMESTAMP="07/21/2014 12:00:52 pm"APPEALCODE="APPEAL1" PAYDATE_START="01/01/2011"&gt;   &lt;PAYMENT&gt;   &lt;PROSPECT.FIRST&gt;DOLORES&lt;/PROSPECT.FIRST&gt;   &lt;PROSPECT.MIDDLE&gt;W.&lt;/PROSPECT.MIDDLE&gt;   &lt;PROSPECT.LAST&gt;GILL&lt;/PROSPECT.LAST&gt;   &lt;PROSPECT.GREETING&gt;GILL&lt;/PROSPECT.GREETING&gt;   &lt;PROSPECT.RECORDTYPE&gt;I&lt;/PROSPECT.RECORDTYPE&gt;   &lt;PROSPECT.ANONYMOUS&gt;N&lt;/PROSPECT.ANONYMOUS&gt;   &lt;PAYMENT.TABLENAME&gt;PAYMENT&lt;/PAYMENT.TABLENAME&gt;   &lt;PAYMENT.IDNUMBER&gt;19332&lt;/PAYMENT.IDNUMBER&gt;</pre>		

# API Inquiry: `get_allpayname`

	<pre> &lt;PAYMENT.ANONYMOUS&gt;N&lt;/PAYMENT.ANONYMOUS&gt; &lt;PAYMENT.APPEAL&gt;Description for Appeal1&lt;/PAYMENT.APPEAL&gt; &lt;PAYMENT.FUND&gt;Test Fund 1&lt;/PAYMENT.FUND&gt; &lt;PAYMENT.PAYDATE&gt;04/11/2011&lt;/PAYMENT.PAYDATE&gt; &lt;PAYMENT.PAYAMOUNT&gt;1&lt;/PAYMENT.PAYAMOUNT&gt; &lt;PAYMENT.RANK&gt;1&lt;/PAYMENT.RANK&gt; &lt;PROSPECT_ALIAS&gt; &lt;ROWSET&gt; &lt;/ROWSET&gt; &lt;/PROSPECT_ALIAS&gt; &lt;/PAYMENT&gt; &lt;PAYMENT&gt; &lt;PROSPECT.FIRST&gt;DOLORES&lt;/PROSPECT.FIRST&gt; &lt;PROSPECT.MIDDLE&gt;W.&lt;/PROSPECT.MIDDLE&gt; &lt;PROSPECT.LAST&gt;GILL&lt;/PROSPECT.LAST&gt; &lt;PROSPECT.GREETING&gt;GILL&lt;/PROSPECT.GREETING&gt; &lt;PROSPECT.RECORDTYPE&gt;1&lt;/PROSPECT.RECORDTYPE&gt; &lt;PROSPECT.ANONYMOUS&gt;N&lt;/PROSPECT.ANONYMOUS&gt; &lt;PAYMENT.TABLENAME&gt;PAYMENT&lt;/PAYMENT.TABLENAME&gt; &lt;PAYMENT.IDNUMBER&gt;19332&lt;/PAYMENT.IDNUMBER&gt; &lt;PAYMENT.ANONYMOUS&gt;N&lt;/PAYMENT.ANONYMOUS&gt; &lt;PAYMENT.APPEAL&gt;Description for Appeal1&lt;/PAYMENT.APPEAL&gt; &lt;PAYMENT.FUND&gt;Test Fund 1&lt;/PAYMENT.FUND&gt; &lt;PAYMENT.PAYDATE&gt;04/11/2011&lt;/PAYMENT.PAYDATE&gt; &lt;PAYMENT.PAYAMOUNT&gt;2&lt;/PAYMENT.PAYAMOUNT&gt; &lt;PAYMENT.RANK&gt;2&lt;/PAYMENT.RANK&gt; &lt;PROSPECT_ALIAS&gt; &lt;ROWSET&gt; &lt;/ROWSET&gt; &lt;/PROSPECT_ALIAS&gt; &lt;/PAYMENT&gt; &lt;/GET_ALLPAYNAME&gt; </pre>
<b>Additional Reading</b>	
<b>Reference</b>	E460066

# API Inquiry: *get\_allpayname*

<b>Connection Pooling</b>	<a href="https://webapps.softrek.com/testprod/api/proc?dsouce=12345678&amp;scheme=GET&amp;action=get_allpayname&amp;datafile=">https://webapps.softrek.com/testprod/api/proc?dsouce=12345678&amp;scheme=GET&amp;action=get_allpayname&amp;datafile=</a>
<b>Data Access Descriptor (DAD)</b>	
<b>Direct Connection</b>	<pre> set serveroutput on; declare vScheme varchar2(100) := 'GET'; vAction varchar2(200) := 'xml_pm.get_allpayname'; vURL varchar2(100) := '128.168.0.1'; vXML varchar2(10000); rval_clob CLOB; begin owa.num_cgi_vars := 0; vXML := '&lt;?xml version="1.0" encoding="UTF-8"?&gt;'    CHR(10)    ' &lt;XMLREQUEST&gt;'    CHR(10)    ' &lt;RECORD&gt;'    CHR(10)    ' &lt;APPEALCODE&gt;APPEAL1&lt;/APPEALCODE&gt;'    CHR(10)    ' &lt;STARTDATE&gt;01/01/2011&lt;/STARTDATE&gt;'    CHR(10)    ' &lt;/RECORD&gt;'    CHR(10)    ' &lt;/XMLREQUEST&gt;'; rval_clob := NULL; apiwrap.all_traffic(vScheme, vAction, vURL, vXML, rval_clob); IF (rval_clob IS NOT NULL) THEN dbms_output.put_line(substr(rval_clob,1,200)); dbms_output.put_line(substr(rval_clob,201,200)); dbms_output.put_line(substr(rval_clob,401,200)); dbms_output.put_line(substr(rval_clob,601,200)); dbms_output.put_line(substr(rval_clob,801,200)); END IF; end; </pre>