

API Inquiry: `get_epaymethod`

Description	Returns all credit_card rows with type_status = 'T' and matching data file criteria		
Parameters	scheme	GET	<i>Required.</i> All connection types. Inquiry type indicator.
	action	get_epaymethod	<i>Required.</i> All connection types. Variable representing the specific inquiry.
	URL	nnn.nnn.n.n	<i>Optional.</i> Direct and DAD only. The URL of the requester, used for reporting. Results will display only if a URL is included.
	dsource	xxxxxxxx	<i>Required.</i> Connection pooling servlet only. The key to the client door to the database.
Search Criteria	datafile	Any valid credit_card column	<i>Required at least one.</i>
		CC_DECRYPT_PWD	<i>Optional.</i> Will return clear credit cards with correct password.
Sample Data	<pre><?xml version="1.0" encoding="UTF-8"?> <XMLREQUEST> <RECORD> <DOCUMENT_NUMBER>doc20100617c2</DOCUMENT_NUMBER > </RECORD> </XMLREQUEST></pre>		
Sample Result	<pre><?xml version="1.0" encoding="UTF-8"?> <GET_EPAYMETHOD_TRANS_TIMESTAMP="07/18/2014 01:46:27 pm" DOCUMENT_NUMBER="doc20100617c2"> <CREDIT_CARD> <CREDIT_CARD.ECOMMERCE>N</CREDIT_CARD.ECOMMERCE> <CREDIT_CARD.TEST_FLAG>N</CREDIT_CARD.TEST_FLAG> <CREDIT_CARD.AUTH_FLAG>B</CREDIT_CARD.AUTH_FLAG> <CREDIT_CARD.AUTHORIZATION_NO>OK: </CREDIT_CARD.AUTHORIZATION_NO> <CREDIT_CARD.CCNUMBER>XXXXXXXXXXXX4321</CREDIT_CARD.CCNUMBER> <CREDIT_CARD.TRANSFER_STATUS>H</CREDIT_CARD.TRANSFER_STATUS> <CREDIT_CARD.TRANSNUM>1349</CREDIT_CARD.TRANSNUM> <CREDIT_CARD.TRANTYPE>TR</CREDIT_CARD.TRANTYPE> <CREDIT_CARD.TYPE_STATUS>T</CREDIT_CARD.TYPE_STATUS> <CREDIT_CARD.TIMESTAMP>06/17/2010</CREDIT_CARD.TIMESTAMP> <CREDIT_CARD.USERID_ADD>DEVLCURR</CREDIT_CARD.USERID_ADD> <CREDIT_CARD.DOCUMENT_NUMBER>doc20100617c2</CREDIT_CARD.DOCUMENT_NUMBER> <CREDIT_CARD.TCN>-1396626954</CREDIT_CARD.TCN> <CREDIT_CARD.METHOD>CC</CREDIT_CARD.METHOD> <CREDIT_CARD.REMARK>TOKENIZED 07/13/2010 11:28:27 AM</CREDIT_CARD.REMARK> <CREDIT_CARD.CANCEL_COUNT>0</CREDIT_CARD.CANCEL_COUNT> </CREDIT_CARD> </GET_EPAYMETHOD></pre>		
Additional Reading			
Reference			

API Inquiry: `get_epaymethod`

Connection Pooling	http://webapps.softrek.com/api/proc?d_source=12345678&scheme=GET&action=get_epaymethod &<attached XML doc>
Data Access Descriptor (DAD)	<a ><="" 1.0"="" ?><xmlrequest><record><document_number>doc20100617c2<="" document_number="" encoding="UTF-8" href="http://pm-devel/pls/testv440/apiwrap.h_traffic?scheme=GET&url=128.168.0.1&action=get_epaymethod&data=<?xml version=" record><="" xmlrequest>"="">http://pm-devel/pls/testv440/apiwrap.h_traffic?scheme=GET&url=128.168.0.1&action=get_epaymethod&data=<?xml version="1.0" encoding="UTF-8"?><XMLREQUEST><RECORD><DOCUMENT_NUMBER>doc20100617c2</DOCUMENT_NUMBER ></RECORD></XMLREQUEST>
Direct Connection	<pre> set serveroutput on; declare vScheme varchar2(100) := 'GET'; vAction varchar2(200) := 'xml_pm.get_epaymethod'; vURL varchar2(100) := '128.168.0.1'; vXML varchar2(10000); rval_clob CLOB; begin owa.num_cgi_vars := 0; vXML := '<?xml version="1.0" encoding="UTF-8"?>' CHR(10) ' <XMLREQUEST>' CHR(10) ' <RECORD>' CHR(10) ' <DOCUMENT_NUMBER> doc20100617c2 </DOCUMENT_NUMBER >' CHR(10) ' </RECORD>' CHR(10) ' </XMLREQUEST>'; rval_clob := NULL; apiwrap.all_traffic(vScheme, vAction, vURL, vXML, rval_clob); IF (rval_clob IS NOT NULL) THEN dbms_output.put_line(substr(rval_clob,1,200)); dbms_output.put_line(substr(rval_clob,201,200)); dbms_output.put_line(substr(rval_clob,401,200)); dbms_output.put_line(substr(rval_clob,601,200)); dbms_output.put_line(substr(rval_clob,801,200)); END IF; end; </pre>