

API Inquiry: `get_eventfeesubsidies`

Description	Returns all columns from table event_fee_subsidies table that match the data file. Returns Total fee count, fee quantity, fee amount and fee balance		
Parameters	scheme	GET	<i>Required.</i> All connection types. Inquiry type indicator.
	action	get_eventfeesubsidies	<i>Required.</i> All connection types. Variable representing the specific inquiry.
	URL	nnn.nnn.n.n	<i>Optional.</i> Direct and DAD only. The URL of the requester, used for reporting. Results will display only if a URL is included.
	dsource	xxxxxxx	<i>Required.</i> Connection pooling servlet only. The key to the client door to the database.
Search Criteria	datafile	Any valid event_fee_subsidies column	<i>Required at least one.</i>
		EVENT	<i>Optional.</i> Restrict to event name
		FEEGROUP	<i>Optional.</i> Event must be present. Restrict by fee group.
Sample Data	<pre><?xml version="1.0" encoding="UTF-8"?> <XMLREQUEST> <RECORD> <EVENT>2008EVENT</EVENT> </RECORD> </XMLREQUEST></pre>		
Sample Result	<pre><?xml version="1.0"?> <GET_EVENTFEESUBSIDIES EVENT="2008EVENT" TRANS_TIMESTAMP="07/18/2014 02:18:30 pm"> <EVENT_FEE_SUBSIDIES> <EVENT_FEE_SUBSIDIES.TRANSNUM>4</EVENT_FEE_SUBSIDIES.TRANSNUM> <EVENT_FEE_SUBSIDIES.EVENT_PKG_ID>4</EVENT_FEE_SUBSIDIES.EVENT_PKG_ID> <EVENT_FEE_SUBSIDIES.FEE_ID>35</EVENT_FEE_SUBSIDIES.FEE_ID> <EVENT_FEE_SUBSIDIES.PROSPECTID>28000</EVENT_FEE_SUBSIDIES.PROSPECTID> <EVENT_FEE_SUBSIDIES.DESCRPTION>28000 Description</EVENT_FEE_SUBSIDIES.DESCRPTION> <EVENT_FEE_SUBSIDIES.REMARK>NULL</EVENT_FEE_SUBSIDIES.REMARK> <EVENT_FEE_SUBSIDIES.TIMESTAMP>12/10/2009</EVENT_FEE_SUBSIDIES.TIMESTAMP> <EVENT_FEE_SUBSIDIES.USERID_ADD>DEVLCURR</EVENT_FEE_SUBSIDIES.USERID_ADD> <EVENT_FEE_SUBSIDIES.TCN>1873953448</EVENT_FEE_SUBSIDIES.TCN> <EVENT_FEES.FEEGROUP>FEE1</EVENT_FEES.FEEGROUP> <EVENT_FEE_PACKAGES.FEEGROUP>WEB</EVENT_FEE_PACKAGES.FEEGROUP> <TOTAL_FEECOUNT>2</TOTAL_FEECOUNT> <TOTAL_FEEQUANTITY>2</TOTAL_FEEQUANTITY> <TOTAL_FEEAMOUNT>130</TOTAL_FEEAMOUNT> <TOTAL_FEESUBSIDY>1636</TOTAL_FEESUBSIDY> </EVENT_FEE_SUBSIDIES> </GET_EVENTFEESUBSIDIES></pre>		
Additional Reading			
Reference			

API Inquiry: `get_eventfeesubsidies`

Connection Pooling	<a href="http://webapps.softrek.com/api/proc?d_source=12345678&scheme=GET&action=get_eventfeesubsidies&<attached_XML_doc>">http://webapps.softrek.com/api/proc?d_source=12345678&scheme=GET&action=get_eventfeesubsidies&<attached_XML_doc>
Data Access Descriptor (DAD)	<a 1.0"="" ?><xmlrequest><record><event>2008event<="" encoding="UTF-8" event><="" href="http://pm-devel/pls/testv440/apiwrap.h_traffic?scheme=GET&url=128.168.0.1&action=get_eventfeesubsidies&data=<?xml version=" record><="" xmlrequest>"="">http://pm-devel/pls/testv440/apiwrap.h_traffic?scheme=GET&url=128.168.0.1&action=get_eventfeesubsidies&data=<?xml version="1.0" encoding="UTF-8"?><XMLREQUEST><RECORD><EVENT>2008EVENT</EVENT></RECORD></XMLREQUEST>
Direct Connection	<pre> set serveroutput on; declare vScheme varchar2(100) := 'GET'; vAction varchar2(200) := 'xml_pm.get_eventfeesubsidies'; vURL varchar2(100) := '128.168.0.1'; vXML varchar2(10000); rval_clob CLOB; begin owa.num_cgi_vars := 0; vXML := '<?xml version="1.0" encoding="UTF-8"?>' CHR(10) ' <XMLREQUEST>' CHR(10) ' <RECORD>' CHR(10) ' <EVENT>2008EVENT</EVENT >' CHR(10) ' </RECORD>' CHR(10) ' </XMLREQUEST>'; rval_clob := NULL; apiwrap.all_traffic(vScheme, vAction, vURL, vXML, rval_clob); IF (rval_clob IS NOT NULL) THEN dbms_output.put_line(substr(rval_clob,1,200)); dbms_output.put_line(substr(rval_clob,201,200)); dbms_output.put_line(substr(rval_clob,401,200)); dbms_output.put_line(substr(rval_clob,601,200)); dbms_output.put_line(substr(rval_clob,801,200)); END IF; end; </pre>