

API Inquiry: `get_eventgroup1`

Description	Given an event code parameter, returns a full list of fields from the events groups table for all groups (teams or tables), as well as registration, prospect and e-mail information for all prospects assigned to the group.		
Parameters	scheme	GET	<i>Required.</i> All connection types. Inquiry type indicator.
	action	get_eventgroup1	<i>Required.</i> All connection types. Variable representing the specific inquiry.
	URL	nnn.nnn.n.n	<i>Optional.</i> Direct and DAD only. The URL of the requester, used for reporting. Results will display only if a URL is included.
	dsource	xxxxxxxx	<i>Required.</i> Connection pooling servlet only. The key to the client door to the database.
	datafile	event	<i>Required.</i> Restricts the event groups (teams or tables) selected to those belonging the event.
Sample Data	<pre><?xml version="1.0" encoding="UTF-8"?> <XMLREQUEST> <RECORD> <EVENT>TESTEVENT</EVENT> </RECORD> </XMLREQUEST></pre>		
Sample Result	<pre><?xml version="1.0" ?> <GET_EVENTGROUP1 TRANS_TIMESTAMP="09/05/2006 03:01:33 pm" EVENT="TESTEVENT"> <EVENT_GROUPS> <EVENT_GROUPS.GROUPTYPE>GRPT</EVENT_GROUPS.GROUPTYPE> <EVENT_GROUPS.NUMPOSITIONS>8</EVENT_GROUPS.NUMPOSITIONS> <EVENT_GROUPS.GROUPNAME>Team A</EVENT_GROUPS.GROUPNAME> <EVENT_GROUPS.EVENT>TESTEVENT</EVENT_GROUPS.EVENT> <EVENT_GROUPS.TIMESTAMP>2006-09-05</EVENT_GROUPS.TIMESTAMP> <EVENT_GROUPS.TRANSNUM>2135</EVENT_GROUPS.TRANSNUM> <EVENT_GROUPS.UPDATE_DATE>2006-09-05</EVENT_GROUPS.UPDATE_DATE> <EVENT_GROUPS.USERID_ADD>TESTV440</EVENT_GROUPS.USERID_ADD> <EVENT_GROUPS.USERID_CHANGE>TESTV440</EVENT_GROUPS.USERID_CHANGE> <EVENT_GROUPS.GOALAMT>15000</EVENT_GROUPS.GOALAMT> </EVENT_GROUPS> <ROWSET/> <EVENT_GROUPS> <EVENT_GROUPS.GROUPTYPE>GRPT</EVENT_GROUPS.GROUPTYPE> <EVENT_GROUPS.NUMPOSITIONS>10</EVENT_GROUPS.NUMPOSITIONS> <EVENT_GROUPS.GROUPNAME>Team B</EVENT_GROUPS.GROUPNAME> ... <ROWSET/> </EVENT_GROUPS> </GET_EVENTGROUP1></pre>		
Additional Reading	Events, relevant API connection documents		
Reference	E430034		

Connection Pooling	http://webapps.pledgemaker.com/test/proc?d_source=12345678&scheme=GET&action=get_eventgroup1&datafile=
Data Access Descriptor (DAD)	<a 1.0"="" ?><xmlrequest><record><event>testevent<="" encoding="UTF-8" event><="" href="http://pm-devel/pls/testv440/apiwrap.h_traffic?scheme=GET&url=128.168.0.1&action=get_eventgroup1&data=<?xml%version=" record><="" xmlrequest>"="">http://pm-devel/pls/testv440/apiwrap.h_traffic?scheme=GET&url=128.168.0.1&action=get_eventgroup1&data=<?xml%version="1.0" encoding="UTF-8"?><XMLREQUEST><RECORD><EVENT>TESTEVENT</EVENT></RECORD></XMLREQUEST>
Direct Connection	set serveroutput on; declare

API Inquiry: *get_eventgroup1*

```
vScheme varchar2(100) := 'GET';
vAction varchar2(200) := 'xml_pm.get_eventgroup1';
vURL varchar2(100) := '128.168.0.1';
vXML varchar2(10000);
rval_clob CLOB;
begin
owa.num_cgi_vars := 0;
vXML := '<?xml version="1.0" encoding="UTF-8"?>' || CHR(10) ||
' <XMLREQUEST>' || CHR(10) ||
' <RECORD>' || CHR(10) ||
' <EVENT>TESTEVENT</EVENT>' || CHR(10) ||
' </RECORD>' || CHR(10) ||
' </XMLREQUEST>';
rval_clob := NULL;
apiwrap.all_traffic(vScheme, vAction, vURL, vXML, rval_clob);
IF (rval_clob IS NOT NULL)
THEN
dbms_output.put_line(substr(rval_clob,1,200));
dbms_output.put_line(substr(rval_clob,201,200));
dbms_output.put_line(substr(rval_clob,401,200));
dbms_output.put_line(substr(rval_clob,601,200));
dbms_output.put_line(substr(rval_clob,801,200));
END IF;
end;
```