

API Inquiry: *get_eventgroup1a*

Description	Given an event code parameter, returns an abbreviated list of fields (transnum and name only) from the events groups table for all groups (teams or tables) associated with the event.		
Parameters	scheme	GET	<i>Required.</i> All connection types. Inquiry type indicator.
	action	get_eventgroup1a	<i>Required.</i> All connection types. Variable representing the specific inquiry.
	URL	nnn.nnn.n.n	<i>Optional.</i> Direct and DAD only. The URL of the requester, used for reporting. Results will display only if a URL is included.
	dsource	xxxxxxxx	<i>Required.</i> Connection pooling servlet only. The key to the client door to the database.
	datafile	event	<i>Required.</i> Restricts the event groups (teams or tables) selected to those belonging the event.
Sample Data	<pre><?xml version="1.0" encoding="UTF-8"?> <XMLREQUEST> <RECORD> <EVENT>TESTEVENT</EVENT> </RECORD> </XMLREQUEST></pre>		
Sample Result	<pre><?xml version="1.0" ?> <GET_EVENTGROUP1A TRANS_TIMESTAMP="09/05/2006 03:21:30 pm" EVENT="TESTEVENT"> <EVENT_GROUPS> <EVENT_GROUPS.TRANSNUM>2135</EVENT_GROUPS.TRANSNUM> <EVENT_GROUPS.GROUPNAME>Team A</EVENT_GROUPS.GROUPNAME> <ROWSET/> </EVENT_GROUPS> <EVENT_GROUPS> <EVENT_GROUPS.TRANSNUM>2137</EVENT_GROUPS.TRANSNUM> <EVENT_GROUPS.GROUPNAME>Team B</EVENT_GROUPS.GROUPNAME> <ROWSET/> </EVENT_GROUPS> </GET_EVENTGROUP1A></pre>		
Additional Reading	Events, relevant API connection documents		
Reference	E430133		

API Inquiry: *get_eventgroup1a*

Connection Pooling	http://webapps.pledgemaker.com/test/proc?d_source=12345678&scheme=GET&action=get_evengroup1a&datafile=
Data Access Descriptor (DAD)	<a 1.0"="" ?><xmlrequest><record><event>testevent<="" encoding="UTF-8" event><="" href="http://pm-devel/pls/testv431/apiwrap.h_traffic?scheme=GET&url=128.168.0.1&action=get_eventgroup1a&data=<?xml%version=" record><="" xmlrequest>"="">http://pm-devel/pls/testv431/apiwrap.h_traffic?scheme=GET&url=128.168.0.1&action=get_eventgroup1a&data=<?xml%version="1.0" encoding="UTF-8"?><XMLREQUEST><RECORD><EVENT>TESTEVENT</EVENT></RECORD></XMLREQUEST>
Direct Connection	<pre> set serveroutput on; declare vScheme varchar2(100) := 'GET'; vAction varchar2(200) := 'xml_pm.get_eventgroup1a'; vURL varchar2(100) := '128.168.0.1'; vXML varchar2(10000); rval_clob CLOB; begin owa.num_cgi_vars := 0; vXML := '<?xml version="1.0" encoding="UTF-8"?>' CHR(10) ' <XMLREQUEST>' CHR(10) ' <RECORD>' CHR(10) ' <EVENT>TESTEVENT</EVENT>' CHR(10) ' </RECORD>' CHR(10) ' </XMLREQUEST>'; rval_clob := NULL; apiwrap.all_traffic(vScheme, vAction, vURL, vXML, rval_clob); IF (rval_clob IS NOT NULL) THEN dbms_output.put_line(substr(rval_clob,1,200)); dbms_output.put_line(substr(rval_clob,201,200)); dbms_output.put_line(substr(rval_clob,401,200)); dbms_output.put_line(substr(rval_clob,601,200)); dbms_output.put_line(substr(rval_clob,801,200)); END IF; end; </pre>