

API Inquiry: `get_grouppreferences`

Description	Returns all columns from the reg_pref table that match the data file.		
Parameters	scheme	GET	<i>Required.</i> All connection types. Inquiry type indicator.
	action	get_grouppreferences	<i>Required.</i> All connection types. Variable representing the specific inquiry.
	URL	nnn.nnn.n.n	<i>Optional.</i> Direct and DAD only. The URL of the requester, used for reporting. Results will display only if a URL is included.
	dsource	xxxxxxx	<i>Required.</i> Connection pooling servlet only. The key to the client door to the database.
Search Criteria	datafile	Any valid reg_pref column	<i>Required at least one.</i>
Sample Data	<pre><?xml version="1.0" encoding="UTF-8"?> <XMLREQUEST> <RECORD> <REGNAMEID>228</ REGNAMEID > </RECORD> </XMLREQUEST></pre>		
Sample Result	<pre><?xml version="1.0"?> <GET_GROUPPREFERENCES REGNAMEID="228" TRANS_TIMESTAMP="07/18/2014 04:13:48 pm"> <REG_PREF> <REG_PREF.CATEGORY>MENU</REG_PREF.CATEGORY> <REG_PREF.PREFCODE>BEEF</REG_PREF.PREFCODE> <REG_PREF.REGNAMEID>228</REG_PREF.REGNAMEID> <REG_PREF.TIMESTAMP>11/16/2009</REG_PREF.TIMESTAMP> <REG_PREF.USERID_ADD>LOCKBOX</REG_PREF.USERID_ADD> <REG_PREF.TRANSNUM>52</REG_PREF.TRANSNUM> <REG_PREF.GROUPID>137</REG_PREF.GROUPID> <EVENT_PREF_CATS.DESCRPTION>Menu Choice</EVENT_PREF_CATS.DESCRPTION> <EVENT_PREF_CODES.DESCRPTION>Bovine Mammal</EVENT_PREF_CODES.DESCRPTION> </REG_PREF> </GET_GROUPPREFERENCES></pre>		
Additional Reading			
Reference			

API Inquiry: `get_grouppreferences`

Connection Pooling	http://webapps.softrek.com/api/proc?d_source=12345678&scheme=GET&action=get_grouppreferences &<attached XML doc>
Data Access Descriptor (DAD)	<a 1.0"="" ?><xmlrequest><record><regnameid>228<="" encoding="UTF-8" href="http://pm-devel/pls/testv440/apiwrap.h_traffic?scheme=GET&url=128.168.0.1&action=get_grouppreferences&data=<?xml version=" record><="" regnameid><="" xmlrequest>"="">http://pm-devel/pls/testv440/apiwrap.h_traffic?scheme=GET&url=128.168.0.1&action=get_grouppreferences&data=<?xml version="1.0" encoding="UTF-8"?><XMLREQUEST><RECORD><REGNAMEID>228</REGNAMEID></RECORD></XMLREQUEST>
Direct Connection	<pre>set serveroutput on; declare vScheme varchar2(100) := 'GET'; vAction varchar2(200) := 'xml_pm.get_grouppreferences'; vURL varchar2(100) := '128.168.0.1'; vXML varchar2(10000); rval_clob CLOB; begin owa.num_cgi_vars := 0; vXML := '<?xml version="1.0" encoding="UTF-8"?>' CHR(10) ' <XMLREQUEST>' CHR(10) ' <RECORD>' CHR(10) ' <REGNAMEID>228</ REGNAMEID >' CHR(10) ' </RECORD>' CHR(10) ' </XMLREQUEST>'; rval_clob := NULL; apiwrap.all_traffic(vScheme, vAction, vURL, vXML, rval_clob); IF (rval_clob IS NOT NULL) THEN dbms_output.put_line(substr(rval_clob,1,200)); dbms_output.put_line(substr(rval_clob,201,200)); dbms_output.put_line(substr(rval_clob,401,200)); dbms_output.put_line(substr(rval_clob,601,200)); dbms_output.put_line(substr(rval_clob,801,200)); END IF; end;</pre>