

# API Inquiry: *get\_idappeal*

<b>Description</b>	Given search criteria, get a listing of Prospect and Appealcode information.		
<b>Parameters</b>	<b>scheme</b>	GET	<i>Required.</i> All connection types. Inquiry type indicator.
	<b>action</b>	get_idappeal	<i>Required.</i> All connection types. Variable representing the specific inquiry.
	<b>URL</b>	nnn.nnn.n.n	<i>Optional.</i> Direct and DAD only. The URL of the requester, used for reporting. Results will display only if a URL is included.
	<b>dsource</b>	Xxxxxxxx	<i>Required.</i> Connection pooling servlet only. The key to the client door to the database.
	<b>datafile</b>	Alias	<i>Required.</i> Restricts the registrations returned to those belonging to prospect(s) with the alias entered.
<b>Sample Data</b>	<pre>&lt;?xml version="1.0" encoding="UTF-8"?&gt; &lt;XMLREQUEST&gt; &lt;RECORD&gt; &lt;IDNUMBER&gt;12190682&lt;/IDNUMBER&gt; &lt;APPEALCODE&gt;1&lt;/APPEALCODE&gt; &lt;/RECORD&gt; &lt;/XMLREQUEST&gt;</pre>		
<b>Sample Result</b>	<pre>&lt;?xml version="1.0" ?&gt; &lt;GET_IDAPPEAL TRANS_TIMESTAMP="07/18/2014 02:20:08 pm" IDNUMBER="22" APPEALCODE="1"&gt; &lt;PROSPECT&gt; &lt;TABLENAME&gt;PROSPECT&lt;/TABLENAME&gt; &lt;IDNUMBER&gt;12190682&lt;/IDNUMBER&gt; &lt;FIRST&gt;James&lt;/FIRST&gt; &lt;LAST&gt;Testprospect&lt;/LAST&gt; &lt;MIDDLE&gt;B&lt;/MIDDLE&gt; &lt;CFIRST&gt;Marilyn&lt;/CFIRST&gt; &lt;CLAST&gt;Testprospect&lt;/CLAST&gt; &lt;SALUTCODE&gt;01&lt;/SALUTCODE&gt; &lt;SALUTATION&gt;Mr&lt;/SALUTATION&gt; &lt;CSALUTCODE&gt;03&lt;/CSALUTCODE&gt; &lt;CSALUTATION&gt;Mrs&lt;/CSALUTATION&gt; &lt;LINE1&gt;123 Test Ave&lt;/LINE1&gt; &lt;CITY&gt;Memphis&lt;/CITY&gt; &lt;STATE&gt;TN&lt;/STATE&gt; &lt;ZIP&gt;38000&lt;/ZIP&gt; &lt;/PROSPECT&gt; &lt;/PROSPECT&gt; &lt;APPEAL&gt; &lt;APPEALS.APPEALCODE&gt;1&lt;/APPEALS.APPEALCODE&gt; &lt;APPEALS.APPEAL&gt;Default Motivation&lt;/APPEALS.APPEAL&gt; &lt;ASSIGNED_PREMIUMS&gt; &lt;ROWSET&gt;&lt;/ROWSET&gt;</pre>		

# API Inquiry: *get\_idappeal*

	</ASSIGNED_PREMIUMS> </APPEAL> </GET_IDAPPEAL>
<b>Additional Reading</b>	
<b>Reference</b>	

# API Inquiry: *get\_idappeal*

Connection Pooling	<a href="https://webapps.softrek.com/pm01prod/api/proc?dsource=12345678&amp;scheme=GET&amp;&amp;action=get_idappeal&amp;datafile=">https://webapps.softrek.com/pm01prod/api/proc?dsource=12345678&amp;scheme=GET&amp;&amp;action=get_idappeal&amp;datafile=</a>
Data Access Descriptor (DAD)	
Direct Connection	<pre> set serveroutput on; declare vScheme varchar2(100) := 'GET'; vAction varchar2(200) := 'xml_pm.get_idappeal'; vURL varchar2(100) := '128.168.0.1'; vXML varchar2(10000); rval_clob CLOB; begin owa.num_cgi_vars := 0; vXML := '&lt;?xml version="1.0" encoding="UTF-8"?&gt;'    CHR(10)          ' &lt;XMLREQUEST&gt;'    CHR(10)          ' &lt;RECORD&gt;'    CHR(10)          ' &lt;IDNUMBER&gt;22&lt;/IDNUMBER&gt;'    CHR(10)          ' &lt;APPEALCODE&gt;1&lt;/APPEALCODE&gt;'    CHR(10)          ' &lt;/RECORD&gt;'    CHR(10)          ' &lt;/XMLREQUEST&gt;'; rval_clob := NULL; apiwrap.all_traffic(vScheme, vAction, vURL, vXML, rval_clob); IF (rval_clob IS NOT NULL) THEN dbms_output.put_line(substr(rval_clob,1,200)); dbms_output.put_line(substr(rval_clob,201,200)); dbms_output.put_line(substr(rval_clob,401,200)); dbms_output.put_line(substr(rval_clob,601,200)); dbms_output.put_line(substr(rval_clob,801,200)); END IF; end; </pre>