

API Inquiry: `get_participantsa`

Description	Given a groupid (table or team unique identifier), returns a full list of participants (reg_names) associated with the group (table or team), with abbreviated reg_name, registration, and prospect information including e-mail address.		
Parameters	scheme	GET	<i>Required.</i> All connection types. Inquiry type indicator.
	action	get_participantsa	<i>Required.</i> All connection types. Variable representing the specific inquiry.
	URL	nnn.nnn.n.n	<i>Optional.</i> Direct and DAD only. The URL of the requester, used for reporting. Results will display only if a URL is included.
	dsource	xxxxxxxxx	<i>Required.</i> Connection pooling servlet only. The key to the client door to the database.
	datafile	groupid	<i>Required.</i> Restricts the event groups (teams or tables) selected to those belonging to the event.

Sample Data

```
<?xml version="1.0" encoding="UTF-8"?>
<XMLREQUEST>
<RECORD>
<GROUPID>2135</GROUPID>
</RECORD>
</XMLREQUEST>
```

Sample Result

```
<?xml version="1.0" ?>
= <GET_PARTICIPANTSA TRANS_TIMESTAMP="09/21/2006 01:55:05 pm" GROUPID="2135">
= <PARTICIPANT>
<REG_NAME.GROUPID>2135</REG_NAME.GROUPID>
<REG_NAME.REGID>115856</REG_NAME.REGID>
<REGISTRATION.T_DATE>2006-09-21</REGISTRATION.T_DATE>
<REGISTRATION.IDNUMBER>343178</REGISTRATION.IDNUMBER>
<REGISTRATION.TRANSNUM>115856</REGISTRATION.TRANSNUM>
<REGISTRATION.EVENT>TESTEVENT</REGISTRATION.EVENT>
<PROSPECT.FIRST>Ringo</PROSPECT.FIRST>
<PROSPECT.LAST>Starr</PROSPECT.LAST>
<EMAIL.EMAIL>rstarr@abbeyroad.com</EMAIL.EMAIL>
= <PAYMENT>
<ROWSET />
</PAYMENT>
= <ALIAS>
<ROWSET />
</ALIAS>
</PARTICIPANT>
= <PARTICIPANT>
<REG_NAME.GROUPID>2135</REG_NAME.GROUPID>
<REG_NAME.REGID>115857</REG_NAME.REGID>
<REGISTRATION.T_DATE>2006-09-21</REGISTRATION.T_DATE>
<REGISTRATION.IDNUMBER>343186</REGISTRATION.IDNUMBER>
<REGISTRATION.TRANSNUM>115857</REGISTRATION.TRANSNUM>
<REGISTRATION.EVENT>TESTEVENT</REGISTRATION.EVENT>
<PROSPECT.FIRST>Paul</PROSPECT.FIRST>
<PROSPECT.LAST>McCartney</PROSPECT.LAST>
```

API Inquiry: `get_participantsa`

```

<PROSPECT.SALUTCODE>MR</PROSPECT.SALUTCODE>
<EMAIL.EMAIL>pmcartney@pennylane.org</EMAIL.EMAIL>
= <PAYMENT>
  <ROWSET />
</PAYMENT>
= <ALIAS>
  <ROWSET />
</ALIAS>
</PARTICIPANT>
= <PARTICIPANT>
  <REG_NAME.GROUPID>2135</REG_NAME.GROUPID>
  <REG_NAME.REGID>115858</REG_NAME.REGID>
  <REGISTRATION.T_DATE>2006-09-21</REGISTRATION.T_DATE>
  <REGISTRATION.IDNUMBER>29916</REGISTRATION.IDNUMBER>
  <REGISTRATION.TRANSNUM>115858</REGISTRATION.TRANSNUM>
  <REGISTRATION.EVENT>TESTEVENT</REGISTRATION.EVENT>
  <REGISTRATION.UNITID>24931</REGISTRATION.UNITID>
  <PROSPECT.FIRST>Benny</PROSPECT.FIRST>
  <PROSPECT.LAST>Southstreet</PROSPECT.LAST>
  <EMAIL.EMAIL />
= <PAYMENT>
  <ROWSET />
</PAYMENT>
= <ALIAS>
  <ROWSET />
</ALIAS>
</PARTICIPANT>
= <PARTICIPANT>
  <REG_NAME.GROUPID>2135</REG_NAME.GROUPID>
  <REG_NAME.REGID>115859</REG_NAME.REGID>
  <REGISTRATION.T_DATE>2006-09-21</REGISTRATION.T_DATE>
  <REGISTRATION.IDNUMBER>343194</REGISTRATION.IDNUMBER>
  <REGISTRATION.TRANSNUM>115859</REGISTRATION.TRANSNUM>
  <REGISTRATION.EVENT>TESTEVENT</REGISTRATION.EVENT>
  <PROSPECT.FIRST>Nathan</PROSPECT.FIRST>
  <PROSPECT.LAST>Detroit</PROSPECT.LAST>
  <PROSPECT.SALUTCODE>MR.</PROSPECT.SALUTCODE>
  <EMAIL.EMAIL />
= <PAYMENT>
  <ROWSET />
</PAYMENT>
= <ALIAS>
  <ROWSET />
</ALIAS>
</PARTICIPANT>
= <PARTICIPANT>
  <REG_NAME.GROUPID>2135</REG_NAME.GROUPID>
  <REG_NAME.REGID>115860</REG_NAME.REGID>

```

API Inquiry: `get_participantsa`

```

<REGISTRATION.T_DATE>2006-09-21</REGISTRATION.T_DATE>
<REGISTRATION.IDNUMBER>343202</REGISTRATION.IDNUMBER>
<REGISTRATION.TRANSNUM>115860</REGISTRATION.TRANSNUM>
<REGISTRATION.EVENT>TESTEVENT</REGISTRATION.EVENT>
<PROSPECT.FIRST>Penny</PROSPECT.FIRST>
<PROSPECT.LAST>Lane</PROSPECT.LAST>
<EMAIL.EMAIL />
= <PAYMENT>
<ROWSET />
</PAYMENT>
= <ALIAS>
<ROWSET />
</ALIAS>
</PARTICIPANT>
</GET_PARTICIPANTS_A>

```

Additional Reading Reference Events, relevant API connection documents
E430092

Connection Pooling http://webapps.pledgemaker.com/test/proc?d_source=12345678&scheme=GET&action=get_participantsa&datafile=

Data Access Descriptor (DAD) [http://pm-devel/pls/testv440/apiwrap.h_traffic?scheme=GET&url=128.168.0.1&action=get_participantsa&data=<?xml version="1.0" encoding="UTF-8"?><XMLREQUEST><RECORD><GROUPID>2135</GROUPID></RECORD></XMLREQUEST>](http://pm-devel/pls/testv440/apiwrap.h_traffic?scheme=GET&url=128.168.0.1&action=get_participantsa&data=<?xml version=)
set serveroutput on;

Direct Connection

```

declare
vScheme varchar2(100) := 'GET';
vAction varchar2(200) := 'xml_pm.get_participantsa';
vURL varchar2(100) := '128.168.0.1';
vXML varchar2(10000);
rval_clob CLOB;
begin
owa.num_cgi_vars := 0;
vXML := '<?xml version="1.0" encoding="UTF-8"?>' || CHR(10) ||
' <XMLREQUEST>' || CHR(10) ||
' <RECORD>' || CHR(10) ||
' <GROUPID>2135</GROUPID>' || CHR(10) ||
' </RECORD>' || CHR(10) ||
' </XMLREQUEST>';

```

API Inquiry: *get_participantsa*

```
rval_clob := NULL;
apiwrap.all_traffic(vScheme, vAction, vURL, vXML, rval_clob);
IF (rval_clob IS NOT NULL)
THEN
dbms_output.put_line(substr(rval_clob,1,200));
dbms_output.put_line(substr(rval_clob,201,200));
dbms_output.put_line(substr(rval_clob,401,200));
dbms_output.put_line(substr(rval_clob,601,200));
dbms_output.put_line(substr(rval_clob,801,200));
END IF;
end;
```