

API Inquiry: get_registration1

Description	Given a prospect alias, get a list of registrations.		
Parameters	scheme	GET	<i>Required.</i> All connection types. Inquiry type indicator.
	action	get_registration1	<i>Required.</i> All connection types. Variable representing the specific inquiry.
	URL	nnn.nnn.n.n	<i>Optional.</i> Direct and DAD only. The URL of the requester, used for reporting. Results will display only if a URL is included.
	dsource	xxxxxxx	<i>Required.</i> Connection pooling servlet only. The key to the client door to the database.
	datafile	alias	<i>Required.</i> Restricts the registrations returned to those belonging to prospect(s) with the alias entered.
Sample Data	<pre><?xml version="1.0" encoding="UTF-8"?> <XMLREQUEST> <RECORD> <ALIAS>ALIAS123</ALIAS> </RECORD> </XMLREQUEST></pre>		
Sample Result	<pre><?xml version="1.0" ?> - <GET_REGISTRATION1 TRANS_TIMESTAMP="01/19/2007 01:56:43 pm" ALIAS="ALIAS123"> - <REGISTRATION> - <REGISTRATION.TOTAL>0</REGISTRATION.TOTAL> - <REGISTRATION.BALANCE>0</REGISTRATION.BALANCE> - <REGISTRATION.T_DATE>19-JAN-07</REGISTRATION.T_DATE> - <REGISTRATION.TIMESTAMP>19-JAN-07</REGISTRATION.TIMESTAMP> - <REGISTRATION.USERID_ADD>TESTV440</REGISTRATION.USERID_ADD> - <REGISTRATION.IDNUMBER>340307</REGISTRATION.IDNUMBER> - <REGISTRATION.TRANSNUM>115896</REGISTRATION.TRANSNUM> - <REGISTRATION.COMPLIMENTARY>N</REGISTRATION.COMPLIMENTARY> - <REGISTRATION.EVENT>EVENT</REGISTRATION.EVENT> - <REGISTRATION.USERFLAG1>N</REGISTRATION.USERFLAG1> - <REGISTRATION.PREMIUM_DECLINED>N</REGISTRATION.PREMIUM_DECLINED> - <REG_NAME> - <ROWSET> - <DETAIL> - <REG_NAME.NAME_ID>340307</REG_NAME.NAME_ID> - <REG_NAME.GROUPID>2039</REG_NAME.GROUPID> - <REG_NAME.NAME>Doe</REG_NAME.NAME> - <REG_NAME.REGID>115896</REG_NAME.REGID> - <REG_NAME.TIMESTAMP>19-JAN-07</REG_NAME.TIMESTAMP> - <REG_NAME.TRANSNUM>18489</REG_NAME.TRANSNUM> - <REG_NAME.UPDATE_DATE>19-JAN-07</REG_NAME.UPDATE_DATE> - <REG_NAME.USERID_ADD>TESTV440</REG_NAME.USERID_ADD> - <REG_NAME.USERID_CHANGE>TESTV440</REG_NAME.USERID_CHANGE> - <REG_NAME.FNAME>Jane</REG_NAME.FNAME> - </DETAIL> - </ROWSET> - </REG_NAME></pre>		

API Inquiry: *get_registration1*

	<code></REGISTRATION></code> <code></GET_REGISTRATION1></code>
Additional Reading	Events, relevant API connection documents, <i>get_registration2</i>
Reference	E430034

API Inquiry: get_registration1

Connection Pooling	http://webapps.pledgemaker.com/test/proc?d_source=12345678&scheme=GET&action=get_registration1&datafile=
Data Access Descriptor (DAD)	<a ><<xmlrequest><record><alias>alias123<="" 1.0"="" alias><="" encoding="UTF-8" href="http://pm-devel/pls/testv440/apiwrap.h_traffic?scheme=GET&url=128.168.0.1&action=get_registration1&data=<?xml version=" record><="" xmlrequest>"="">http://pm-devel/pls/testv440/apiwrap.h_traffic?scheme=GET&url=128.168.0.1&action=get_registration1&data=<?xml version="1.0" encoding="UTF-8"><<XMLREQUEST><RECORD><ALIAS>ALIAS123</ALIAS></RECORD></XMLREQUEST>
Direct Connection	<pre> set serveroutput on; declare vScheme varchar2(100) := 'GET'; vAction varchar2(200) := 'xml_pm.get_participants'; vURL varchar2(100) := '128.168.0.1'; vXML varchar2(10000); rval_clob CLOB; begin owa.num_cgi_vars := 0; vXML := '<?xml version="1.0" encoding="UTF-8"?>' CHR(10) ' <XMLREQUEST>' CHR(10) ' <RECORD>' CHR(10) ' <ALIAS>ALIAS123</ALIAS>' CHR(10) ' </RECORD>' CHR(10) ' </XMLREQUEST>'; rval_clob := NULL; apiwrap.all_traffic(vScheme, vAction, vURL, vXML, rval_clob); IF (rval_clob IS NOT NULL) THEN dbms_output.put_line(substr(rval_clob,1,200)); dbms_output.put_line(substr(rval_clob,201,200)); dbms_output.put_line(substr(rval_clob,401,200)); dbms_output.put_line(substr(rval_clob,601,200)); dbms_output.put_line(substr(rval_clob,801,200)); END IF; end; </pre>