

API Inquiry: get_registration2

Description	Given a prospect alias and appeal, get any corresponding registrations.		
Parameters	scheme	GET	<i>Required.</i> All connection types. Inquiry type indicator.
	action	get_registration2	<i>Required.</i> All connection types. Variable representing the specific inquiry.
	URL	nnn.nnn.n.n	<i>Optional.</i> Direct and DAD only. The URL of the requester, used for reporting. Results will display only if a URL is included.
	dsource	xxxxxxx	<i>Required.</i> Connection pooling servlet only. The key to the client door to the database.
	datafile	alias	<i>Required.</i> Restricts registrations returned to those belonging to the prospect(s).
		appealcode	<i>Required.</i> Restricts registrations returned to those with this appeal code.
Sample Data	<pre><?xml version="1.0" encoding="UTF-8"?> <XMLREQUEST> <RECORD> <ALIAS>ALIAS123</ALIAS> <APPEALCODE>APPEAL2</APPEALCODE> </RECORD> </XMLREQUEST></pre>		
Sample Result	<pre><?xml version="1.0" ?> - <GET_REGISTRATION1 TRANS_TIMESTAMP="01/19/2007 01:56:43 pm" ALIAS="ALIAS123"> - <REGISTRATION> - <REGISTRATION.TOTAL>0</REGISTRATION.TOTAL> <REGISTRATION.BALANCE>0</REGISTRATION.BALANCE> <REGISTRATION.T_DATE>19-JAN-07</REGISTRATION.T_DATE> <REGISTRATION.TIMESTAMP>19-JAN-07</REGISTRATION.TIMESTAMP> <REGISTRATION.USERID_ADD>TESTV440</REGISTRATION.USERID_ADD> <REGISTRATION.IDNUMBER>340307</REGISTRATION.IDNUMBER> <REGISTRATION.TRANSNUM>115896</REGISTRATION.TRANSNUM> <REGISTRATION.COMPLIMENTARY>N</REGISTRATION.COMPLIMENTARY> <REGISTRATION.EVENT>EVENT</REGISTRATION.EVENT> <REGISTRATION.USERFLAG1>N</REGISTRATION.USERFLAG1> <REGISTRATION.PREMIUM_DECLINED>N</REGISTRATION.PREMIUM_DECLINED> - <REG_NAME> - <ROWSET> - <DETAIL> <REG_NAME.NAME_ID>340307</REG_NAME.NAME_ID> <REG_NAME.GROUPID>2039</REG_NAME.GROUPID> <REG_NAME.NAME>Doe</REG_NAME.NAME> <REG_NAME.REGID>115896</REG_NAME.REGID> <REG_NAME.TIMESTAMP>19-JAN-07</REG_NAME.TIMESTAMP> <REG_NAME.TRANSNUM>18489</REG_NAME.TRANSNUM> <REG_NAME.UPDATE_DATE>19-JAN-07</REG_NAME.UPDATE_DATE> <REG_NAME.USERID_ADD>TESTV440</REG_NAME.USERID_ADD> <REG_NAME.USERID_CHANGE>TESTV440</REG_NAME.USERID_CHANGE> <REG_NAME.FNAME>Jane</REG_NAME.FNAME> </DETAIL> </ROWSET></pre>		

API Inquiry: *get_registration2*

	<pre></REG_NAME> </REGISTRATION> </GET_REGISTRATION1></pre>
Additional Reading	Events, relevant API connection documents, <i>get_registration2</i>
Reference	E430034

API Inquiry: get_registration2

Connection Pooling	http://webapps.pledgemaker.com/test/proc?d_source=12345678&scheme=GET&action=get_registration2&datafile=
Data Access Descriptor (DAD)	<a ><xmlrequest><record><alias>alias123<="" 1.0"="" alias><="" encoding="UTF-8" href="http://pm-devel/pls/testv440/apiwrap.h_traffic?scheme=GET&url=128.168.0.1&action=get_registration2&data=<?xml version=" record><="" xmlrequest>"="">http://pm-devel/pls/testv440/apiwrap.h_traffic?scheme=GET&url=128.168.0.1&action=get_registration2&data=<?xml version="1.0" encoding="UTF-8"><XMLREQUEST><RECORD><ALIAS>ALIAS123</ALIAS></RECORD></XMLREQUEST>
Direct Connection	<pre> set serveroutput on; declare vScheme varchar2(100) := 'GET'; vAction varchar2(200) := 'xml_pm.get_participants'; vURL varchar2(100) := '128.168.0.1'; vXML varchar2(10000); rval_clob CLOB; begin owa.num_cgi_vars := 0; vXML := '<?xml version="1.0" encoding="UTF-8"?>' CHR(10) ' <XMLREQUEST>' CHR(10) ' <RECORD>' CHR(10) ' <ALIAS>ALIAS123</ALIAS>' CHR(10) ' <APPEALCODE>APPEAL2</APPEALCODE>' CHR(10) ' </RECORD>' CHR(10) ' </XMLREQUEST>'; rval_clob := NULL; apiwrap.all_traffic(vScheme, vAction, vURL, vXML, rval_clob); IF (rval_clob IS NOT NULL) THEN dbms_output.put_line(substr(rval_clob,1,200)); dbms_output.put_line(substr(rval_clob,201,200)); dbms_output.put_line(substr(rval_clob,401,200)); dbms_output.put_line(substr(rval_clob,601,200)); dbms_output.put_line(substr(rval_clob,801,200)); END IF; end; </pre>