

API Inquiry: get_search_ct

Description	Returns search information for prospects that match the data file.		
Parameters	scheme	GET	<i>Required.</i> All connection types. Inquiry type indicator.
	action	get_search_ct	<i>Required.</i> All connection types. Variable representing the specific inquiry.
	URL	nnn.nnn.n.n	<i>Optional.</i> Direct and DAD only. The URL of the requester, used for reporting. Results will display only if a URL is included.
	dsource	xxxxxxx	<i>Required.</i> Connection pooling servlet only. The key to the client door to the database.
	datafile	Any valid search criteria	<i>Required at least one.</i>
Sample Data	<pre><?xml version="1.0" encoding="UTF-8"?> <XMLREQUEST> <RECORD> <LAST>Smith</LAST> </RECORD> </XMLREQUEST></pre>		
Sample Result	<pre><?xml version="1.0"?> <GET_SEARCH_CT_LAST="Smith" TRANS_TIMESTAMP="07/21/2014 11:38:28 am"> <PROSPECTS> <PROSPECT.IDNUMBER>3513</PROSPECT.IDNUMBER> <PROSPECT.FIRST>Jack</PROSPECT.FIRST> <PROSPECT.LAST>Smith</PROSPECT.LAST> <PROSPECT.RECORDTYPE>I</PROSPECT.RECORDTYPE> <ADDRESS.LINE1>670 Mason Ridge Center Dr</ADDRESS.LINE1> <ADDRESS.CITY>Saint Louis</ADDRESS.CITY> <ADDRESS.STATE>MO</ADDRESS.STATE> <ADDRESS.ZIP>63141</ADDRESS.ZIP> <ALIAS> <ROWSET> </ROWSET> </ALIAS> </PROSPECTS> </GET_SEARCH_CT></pre>		
Additional Reading			
Reference			

API Inquiry: get_search_ct

Connection Pooling	http://webapps.pledgemaker.com/test/proc?d_source=12345678&scheme=GET&action=get_search_ct&datafile=
Data Access Descriptor (DAD)	<a ><xmlrequest><record><last>smith<="" 1.0"="" encoding="UTF-8" href="http://pm-devel/pls/testv440/apiwrap.h_traffic?scheme=GET&url=128.168.0.1&action=get_search_ct&data=<?xml version=" last><="" record><="" xmlrequest>"="">http://pm-devel/pls/testv440/apiwrap.h_traffic?scheme=GET&url=128.168.0.1&action=get_search_ct&data=<?xml version="1.0" encoding="UTF-8"><XMLREQUEST><RECORD><LAST>Smith</LAST></RECORD></XMLREQUEST>
Direct Connection	<pre> set serveroutput on; declare vScheme varchar2(100) := 'GET'; vAction varchar2(200) := 'xml_pm.get_search_ct'; vURL varchar2(100) := '128.168.0.1'; vXML varchar2(10000); rval_clob CLOB; begin owa.num_cgi_vars := 0; vXML := '<?xml version="1.0" encoding="UTF-8">' CHR(10) ' <XMLREQUEST>' CHR(10) ' <RECORD>' CHR(10) ' <LAST>Smith</LAST>' CHR(10) ' </RECORD>' CHR(10) ' </XMLREQUEST>'; rval_clob := NULL; apiwrap.all_traffic(vScheme, vAction, vURL, vXML, rval_clob); IF (rval_clob IS NOT NULL) THEN dbms_output.put_line(substr(rval_clob,1,200)); dbms_output.put_line(substr(rval_clob,201,200)); dbms_output.put_line(substr(rval_clob,401,200)); dbms_output.put_line(substr(rval_clob,601,200)); dbms_output.put_line(substr(rval_clob,801,200)); END IF; end; </pre>