

API Inquiry: get_sumgroupallpay

Description	Returns payment totals for event groups.			
Parameters	scheme	GET	<i>Required.</i> All connection types. Inquiry type indicator.	
	action	get_sumgroupallpay	<i>Required.</i> All connection types. Variable representing the specific inquiry.	
	URL	nnn.nnn.n.n	<i>Optional.</i> Direct and DAD only. The URL of the requester, used for reporting. Results will display only if a URL is included.	
	Dsource	Xxxxxxxx	<i>Required.</i> Connection pooling servlet only. The key to the client door to the database.	
	Datafile	EVENT		<i>Optional.</i> Restricts to this event.
		CAMPAIGN		<i>Optional.</i> Restricts to events with this campaigncode and istemplate = 'N'.
		FUND		<i>Optional.</i> Restricts to events with this fundcode and istemplate = 'N'.
		PARENT_EVENT		<i>Optional.</i> Restricts to events with this parent_event and istemplate = 'N'.
		EVENT_START		<i>Optional.</i> Restricts to events with event_start on or after this date and istemplate = 'N'. If this is input, exclude events with event_start null.
		EVENT_TYPE		<i>Optional.</i> Restricts to events with this type and istemplate = 'N'.
GROUPID			<i>Optional.</i> Restricts to event_groups with matching transnum.	
PARENTGROUPID			<i>Optional.</i> Restricts to event_groups with matching parentgroupid.	
	TOPN		<i>Optional.</i> This is an integer. Restricts to that number of top groups, ranked on the basis of paytotal.	
Sample Data	<pre><?xml version="1.0" encoding="UTF-8"?> <XMLREQUEST> <RECORD> <EVENT>EVENT</EVENT> </RECORD> </XMLREQUEST></pre>			
Sample Result	<pre><?xml version="1.0" encoding="UTF-8"?> <XMLREQUEST> <RECORD> <EVENT>EVENT</EVENT> </RECORD> </XMLREQUEST> <?xml version="1.0" ?> <GET_SUMGROUPALLPAY TRANS_TIMESTAMP="07/21/2014 10:44:10am" EVENT="EVENT"> <EVENT_GROUPS> <EVENT_GROUPS.GROUPID>2037</EVENT_GROUPS.GROUPID> <EVENT_GROUPS.GROUPNAME>defect test group</EVENT_GROUPS.GROUPNAME> <EVENT_GROUPS.EVENT>EVENT</EVENT_GROUPS.EVENT> <EVENT_GROUPS.PAYTOTAL>676</EVENT_GROUPS.PAYTOTAL> <EVENT_GROUPS.POSTEDREGPAYTOTAL>646</EVENT_GROUPS.POSTEDREGPAYTOTAL> <EVENT_GROUPS.POSTEDGIFTPAYTOTAL>0</EVENT_GROUPS.POSTEDGIFTPAYTOTAL> <EVENT_GROUPS.UNPOSTEDREGPAYTOTAL>30</EVENT_GROUPS.UNPOSTEDREGPAYTOTAL> <EVENTS_GROUPS.UNPOSTEDGIFTPAYTOTAL>0</EVENTS_GROUPS.UNPOSTEDGIFTPAYTOTAL> <EVENT_GROUPS.RANK>1</EVENT_GROUPS.RANK> </EVENT_GROUPS> <EVENT_GROUPS></pre>			

API Inquiry: get_sumgroupallpay

	<pre> <EVENT_GROUPS.GROUPID>2028</EVENT_GROUPS.GROUPID> <EVENT_GROUPS.GROUPNAME>1234 of 15 POS1</EVENT_GROUPS.GROUPNAME> <EVENT_GROUPS.EVENT>EVENT</EVENT_GROUPS.EVENT> <EVENT_GROUPS.PAYTOTAL>250</EVENT_GROUPS.PAYTOTAL> <EVENT_GROUPS.POSTEDREGPAYTOTAL>250</EVENT_GROUPS.POSTEDREGPAYTOTAL> <EVENT_GROUPS.POSTEDGIFTPAYTOTAL>0</EVENT_GROUPS.POSTEDGIFTPAYTOTAL> <EVENT_GROUPS.UNPOSTEDREGPAYTOTAL>0</EVENT_GROUPS.UNPOSTEDREGPAYTOTAL> <EVENTS_GROUPS.UNPOSTEDGIFTPAYTOTAL>0</EVENTS_GROUPS.UNPOSTEDGIFTPAYTOTAL> <EVENT_GROUPS.RANK>2</EVENT_GROUPS.RANK> </EVENT_GROUPS> <EVENT_GROUPS> <EVENT_GROUPS.GROUPID>2039</EVENT_GROUPS.GROUPID> <EVENT_GROUPS.GROUPNAME>another group</EVENT_GROUPS.GROUPNAME> <EVENT_GROUPS.EVENT>EVENT</EVENT_GROUPS.EVENT> <EVENT_GROUPS.PAYTOTAL>30</EVENT_GROUPS.PAYTOTAL> <EVENT_GROUPS.POSTEDREGPAYTOTAL>0</EVENT_GROUPS.POSTEDREGPAYTOTAL> <EVENT_GROUPS.POSTEDGIFTPAYTOTAL>0</EVENT_GROUPS.POSTEDGIFTPAYTOTAL> <EVENT_GROUPS.UNPOSTEDREGPAYTOTAL>30</EVENT_GROUPS.UNPOSTEDREGPAYTOTAL> <EVENTS_GROUPS.UNPOSTEDGIFTPAYTOTAL>0</EVENTS_GROUPS.UNPOSTEDGIFTPAYTOTAL> <EVENT_GROUPS.RANK>3</EVENT_GROUPS.RANK> </EVENT_GROUPS> </GET_SUMGROUPALLPAY> </pre>
Additional Reading	
Reference	E460066

API Inquiry: get_sumgroupallpay

Connection Pooling	https://webapps.softrek.com/testprod/api/proc?dsource=12345678&scheme=GET&action=get_sumgroupallpay&datafile=
Data Access Descriptor (DAD)	
Direct Connection	<pre> set serveroutput on; declare vScheme varchar2(100) := 'GET'; vAction varchar2(200) := 'xml_pm.get_sumgroupallpay'; vURL varchar2(100) := '128.168.0.1'; vXML varchar2(10000); rval_clob CLOB; begin owa.num_cgi_vars := 0; vXML := '<?xml version="1.0" encoding="UTF-8"?>' CHR(10) ' <XMLREQUEST>' CHR(10) ' <RECORD>' CHR(10) ' <EVENT>EVENT</EVENT >' CHR(10) ' </RECORD>' CHR(10) ' </XMLREQUEST>'; rval_clob := NULL; apiwrap.all_traffic(vScheme, vAction, vURL, vXML, rval_clob); IF (rval_clob IS NOT NULL) THEN dbms_output.put_line(substr(rval_clob,1,200)); dbms_output.put_line(substr(rval_clob,201,200)); dbms_output.put_line(substr(rval_clob,401,200)); dbms_output.put_line(substr(rval_clob,601,200)); dbms_output.put_line(substr(rval_clob,801,200)); END IF; end; </pre>