

API Inquiry: get_sumgroupgift

Description	Returns total gift payments for an event group.			
Parameters	scheme	GET	<i>Required.</i> All connection types. Inquiry type indicator.	
	action	get_sumgroupgift	<i>Required.</i> All connection types. Variable representing the specific inquiry.	
	URL	nnn.nnn.n.n	<i>Optional.</i> Direct and DAD only. The URL of the requester, used for reporting. Results will display only if a URL is included.	
	dsource	Xxxxxxxx	<i>Required.</i> Connection pooling servlet only. The key to the client door to the database.	
	datafile	EVENT		<i>Optional.</i> Restricts to this event.
		APPEAL		<i>Optional.</i> Restricts to payments with this appeal.
		CAMPAIGN		<i>Optional.</i> Restricts to events with this campaigncode and istemplate = 'N'.
		FUND		<i>Optional.</i> Restricts to events with this fundcode and istemplate = 'N'.
		PARENT_EVENT		<i>Optional.</i> Restricts to events with this parent_event and istemplate = 'N'.
		EVENT_START		<i>Optional.</i> Restricts to events with event_start on or after this date and istemplate = 'N'. If this is specified, exclude events with event_start is null.
		EVENT_TYPE		<i>Optional.</i> Restricts to events with this type and istemplate = 'N'.
		GROUPID		<i>Optional.</i> Restricts to event_groups with matching transnum.
PARENTGROUPID			<i>Optional.</i> Restricts to event_groups with matching parentgroupid.	
PAYDATE_START			<i>Optional.</i> Restricts to payments on or after this date.	
PAYDATE_END		<i>Optional.</i> Restricts to payments on or before this date.		
	TOPN		<i>Optional.</i> Restricts to that number of top groups, ranked on the basis of total payamount.	
Sample Data	<pre><?xml version="1.0" encoding="UTF-8"?> <XMLREQUEST> <RECORD> <EVENT>EVENT</EVENT> </RECORD> </XMLREQUEST></pre>			
Sample Result	<pre><?xml version="1.0" ?> <GET_SUMGROUPEGIFT_TRANS_TIMESTAMP="07/18/2014 04:42:39 pm" EVENT="EVENT"> <EVENT_GROUP> <EVENT_GROUPS.GROUPID>2028</EVENT_GROUPS.GROUPID> <EVENT_GROUPS.GROUPNAME>1234 of 15 POS1</EVENT_GROUPS.GROUPNAME> <EVENT_GROUPS.EVENT>EVENT</EVENT_GROUPS.EVENT> <EVENT_GROUPS.GIFTTOTAL>0</EVENT_GROUPS.GIFTTOTAL> <EVENT_GROUPS.GIFTCOUNT>0</EVENT_GROUPS.GIFTCOUNT> <EVENT_GROUPS.RANK>1</EVENT_GROUPS.RANK> </EVENT_GROUP> <EVENT_GROUP> <EVENT_GROUPS.GROUPID>2039</EVENT_GROUPS.GROUPID> <EVENT_GROUPS.GROUPNAME>another group</EVENT_GROUPS.GROUPNAME> <EVENT_GROUPS.EVENT>EVENT</EVENT_GROUPS.EVENT> <EVENT_GROUPS.GIFTTOTAL>0</EVENT_GROUPS.GIFTTOTAL> <EVENT_GROUPS.GIFTCOUNT>0</EVENT_GROUPS.GIFTCOUNT> <EVENT_GROUPS.RANK>2</EVENT_GROUPS.RANK> </EVENT_GROUP></pre>			

API Inquiry: *get_sumgroupgift*

	<pre> <EVENT_GROUP> <EVENT_GROUPS.GROUPID>2037</EVENT_GROUPS.GROUPID> <EVENT_GROUPS.GROUPNAME>defect test group</EVENT_GROUPS.GROUPNAME> <EVENT_GROUPS.EVENT>EVENT</EVENT_GROUPS.EVENT> <EVENT_GROUPS.GIFTTOTAL>0</EVENT_GROUPS.GIFTTOTAL> <EVENT_GROUPS.GIFTCOUNT>0</EVENT_GROUPS.GIFTCOUNT> <EVENT_GROUPS.RANK>3</EVENT_GROUPS.RANK> </EVENT_GROUP> </GET_SUMGROUPEGIFT> </pre>
Additional Reading	
Reference	E460019

API Inquiry: get_sumgroupgift

Connection Pooling	https://webapps.softrek.com/testprod/api/proc?dsource=12345678&scheme=GET&action=get_sumgroupgift&datafile=
Data Access Descriptor (DAD)	
Direct Connection	<pre> set serveroutput on; declare vScheme varchar2(100) := 'GET'; vAction varchar2(200) := 'xml_pm.get_sumgroupgift'; vURL varchar2(100) := '128.168.0.1'; vXML varchar2(10000); rval_clob CLOB; begin owa.num_cgi_vars := 0; vXML := '<?xml version="1.0" encoding="UTF-8"?>' CHR(10) ' <XMLREQUEST>' CHR(10) ' <RECORD>' CHR(10) ' <EVENT>EVENT1</EVENT >' CHR(10) ' </RECORD>' CHR(10) ' </XMLREQUEST>'; rval_clob := NULL; apiwrap.all_traffic(vScheme, vAction, vURL, vXML, rval_clob); IF (rval_clob IS NOT NULL) THEN dbms_output.put_line(substr(rval_clob,1,200)); dbms_output.put_line(substr(rval_clob,201,200)); dbms_output.put_line(substr(rval_clob,401,200)); dbms_output.put_line(substr(rval_clob,601,200)); dbms_output.put_line(substr(rval_clob,801,200)); END IF; end; </pre>