

# API Inquiry: get\_sumgrouppay

<b>Description</b>	Returns total payments for an event group.			
<b>Parameters</b>	<b>scheme</b>	GET	<i>Required.</i> All connection types. Inquiry type indicator.	
	<b>action</b>	get_sumgrouppay	<i>Required.</i> All connection types. Variable representing the specific inquiry.	
	<b>URL</b>	nnn.nnn.n.n	<i>Optional.</i> Direct and DAD only. The URL of the requester, used for reporting. Results will display only if a URL is included.	
	<b>Dsource</b>	XXXXXXXX	<i>Required.</i> Connection pooling servlet only. The key to the client door to the database.	
	<b>Datafile</b>	EVENT		<i>Optional.</i> Restricts to this event.
		APPEAL		<i>Optional.</i> Restricts to payments with this appeal.
		CAMPAIGN		<i>Optional.</i> Restricts to events with this campaigncode and istemplate = 'N'.
		FUND		<i>Optional.</i> Restricts to events with this fundcode and istemplate = 'N'.
		PARENT_EVENT		<i>Optional.</i> Restricts to this parent_event and istemplate = 'N'.
		EVENT_START		<i>Optional.</i> Restricts to events with event_start on or after this date and istemplate = 'N'. If this is input, exclude events with event_start null.
		EVENT_TYPE		<i>Optional.</i> Restricts to events with this type and istemplate = 'N'.
		GROUPID		<i>Optional.</i> Restricts to event_groups with matching transnum.
		PARENTGROUPID		<i>Optional.</i> Restricts to event_groups with matching parentgroupid.
PAYDATE_START			<i>Optional.</i> Restricts to payments with paydate on or after this date.	
PAYDATE_END			<i>Optional.</i> Restricts to payments with paydate on or before this date.	
TOPN			<i>Optional.</i> This is an integer. Restricts to that number of top groups, ranked on the basis of total payamount.	
<b>Sample Data</b>	<pre>&lt;?xml version="1.0" encoding="UTF-8"?&gt; &lt;XMLREQUEST&gt; &lt;RECORD&gt; &lt;EVENT&gt;1234&lt;/EVENT&gt; &lt;/RECORD&gt; &lt;/XMLREQUEST&gt;</pre>			
<b>Sample Result</b>	<pre>&lt;?xml version="1.0" encoding="UTF-8"?&gt; &lt;XMLREQUEST&gt; &lt;RECORD&gt; &lt;EVENT&gt;1234&lt;/EVENT&gt; &lt;/RECORD&gt; &lt;/XMLREQUEST&gt; &lt;?xml version="1.0" ?&gt; &lt;GET_SUMGROUPPAY TRANS_TIMESTAMP="07/21/2014 11:30:45 am"EVENT="1234"&gt; &lt;EVENT_GROUPS&gt; &lt;EVENT_GROUPS.GROUPID&gt;2157&lt;/EVENT_GROUPS.GROUPID&gt; &lt;EVENT_GROUPS.GROUPNAME&gt;group description&lt;/EVENT_GROUPS.GROUPNAME&gt; &lt;EVENT_GROUPS.EVENT&gt; 1234&lt;/EVENT_GROUPS.EVENT&gt; &lt;EVENT_GROUPS.GOALAMT&gt;25&lt;/EVENT_GROUPS.GOALAMT&gt; &lt;EVENT_GROUPS.PAYTOTAL&gt;284.38&lt;/EVENT_GROUPS.PAYTOTAL&gt; &lt;EVENT_GROUPS.PAYCOUNT&gt;38&lt;/EVENT_GROUPS.PAYCOUNT&gt; &lt;EVENT_GROUPS.RANK&gt;1&lt;/EVENT_GROUPS.RANK&gt;</pre>			

# API Inquiry: *get\_sumgrouppay*

	<a href="#">&lt;/EVENT_GROUPS&gt;</a> <a href="#">&lt;/GET_SUMGROUPPAY&gt;</a>
<b>Additional Reading</b>	
<b>Reference</b>	E461007

# API Inquiry: `get_sumgrouppay`

<b>Connection Pooling</b>	<a href="https://webapps.softrek.com/testprod/api/proc?dsouce=12345678&amp;scheme=GET&amp;action=get_sumgrouppay&amp;datafile=">https://webapps.softrek.com/testprod/api/proc?dsouce=12345678&amp;scheme=GET&amp;action=get_sumgrouppay&amp;datafile=</a>
<b>Data Access Descriptor (DAD)</b>	
<b>Direct Connection</b>	<pre> set serveroutput on; declare vScheme varchar2(100) := 'GET'; vAction varchar2(200) := 'xml_pm.get_sumgrouppay'; vURL varchar2(100) := '128.168.0.1'; vXML varchar2(10000); rval_clob CLOB; begin owa.num_cgi_vars := 0; vXML := '&lt;?xml version="1.0" encoding="UTF-8"?&gt;'    CHR(10)    ' &lt;XMLREQUEST&gt;'    CHR(10)    ' &lt;RECORD&gt;'    CHR(10)    ' &lt;EVENT&gt;EVENT&lt;/EVENT &gt;'    CHR(10)    ' &lt;/RECORD&gt;'    CHR(10)    ' &lt;/XMLREQUEST&gt;'; rval_clob := NULL; apiwrap.all_traffic(vScheme, vAction, vURL, vXML, rval_clob); IF (rval_clob IS NOT NULL) THEN dbms_output.put_line(substr(rval_clob,1,200)); dbms_output.put_line(substr(rval_clob,201,200)); dbms_output.put_line(substr(rval_clob,401,200)); dbms_output.put_line(substr(rval_clob,601,200)); dbms_output.put_line(substr(rval_clob,801,200)); END IF; end; </pre>