

API Inquiry: get_sumpayamountgroup

Description	Given an event groupid (transnum) and an appealcode – returns the sum of payments for all of the individuals in that group combined. This is for tracking team goals.		
Parameters	scheme	GET	<i>Required.</i> All connection types. Inquiry type indicator.
	action	get_sumpayamountgroup	<i>Required.</i> All connection types. Variable representing the specific inquiry.
	URL	nnn.nnn.n.n	<i>Optional.</i> Direct and DAD only. The URL of the requester, used for reporting. Results will display only if a URL is included.
	dsource	xxxxxxx	<i>Required.</i> Connection pooling servlet only. The key to the client door to the database.
	datafile	appealcode	<i>Required.</i> Limits selection to only payments with this appealcode.
		groupid	<i>Required.</i> Limits selection to only payments belonging to prospects who belong to the group.
Sample Data	<pre><?xml version="1.0" encoding="UTF-8"?> <XMLREQUEST> <RECORD> <APPEALCODE>APPEAL2</APPEALCODE> <GROUPID>2039</GROUPID> </RECORD> </XMLREQUEST></pre>		
Sample Result	<pre><?xml version="1.0" ?> - <GET_SUMPAYAMOUNTGROUP TRANS_TIMESTAMP="01/19/2007 12:42:12 pm" GROUPID="2039"> - <PAYMENT> - <SUM_PAYAMOUNT>150</SUM_PAYAMOUNT> </PAYMENT> </GET_SUMPAYAMOUNTGROUP></pre>		
Additional Reading	Payment, Events, relevant API connection documents, get_sumpayamountind		
Reference	E430034		

API Inquiry: get_sumpayamountgroup

Connection Pooling	http://webapps.pledgemaker.com/test/proc?d_source=12345678&scheme=GET&action=get_sumpayamountgroup&datafile=
Data Access Descriptor (DAD)	<a 1.0"="" ?><xmlrequest><record><groupid>2039<="" encoding="UTF-8" groupid><="" href="http://pm-devel/pls/testv440/apiwrap.h_traffic?scheme=GET&url=128.168.0.1&action=get_sumpayamountgroup&data=<?xml version=" record><="" xmlrequest>"="">http://pm-devel/pls/testv440/apiwrap.h_traffic?scheme=GET&url=128.168.0.1&action=get_sumpayamountgroup&data=<?xml version="1.0" encoding="UTF-8"?><XMLREQUEST><RECORD><GROUPID>2039</GROUPID></RECORD></XMLREQUEST>
Direct Connection	<pre> set serveroutput on; declare vScheme varchar2(100) := 'GET'; vAction varchar2(200) := 'xml_pm.get_sumpayamountind'; vURL varchar2(100) := '128.168.0.1'; vXML varchar2(10000); rval_clob CLOB; begin owa.num_cgi_vars := 0; vXML := '<?xml version="1.0" encoding="UTF-8"?>' CHR(10) ' <XMLREQUEST>' CHR(10) ' <RECORD>' CHR(10) ' <APPEALCODE>APPEAL2</APPEALCODE>' CHR(10) ' <GROUPID>2039</GROUPID>' CHR(10) ' </RECORD>' CHR(10) ' </XMLREQUEST>'; rval_clob := NULL; apiwrap.all_traffic(vScheme, vAction, vURL, vXML, rval_clob); IF (rval_clob IS NOT NULL) THEN dbms_output.put_line(substr(rval_clob,1,200)); dbms_output.put_line(substr(rval_clob,201,200)); dbms_output.put_line(substr(rval_clob,401,200)); dbms_output.put_line(substr(rval_clob,601,200)); dbms_output.put_line(substr(rval_clob,801,200)); END IF; end; </pre>