

# API Inquiry: get\_get\_sumregnamegift

<b>Description</b>	Returns total gift payments for event participants. These are the gift payments for which group participants get credit (payment idnumber or volunteerid).			
<b>Parameters</b>	<b>scheme</b>	GET	<i>Required.</i> All connection types. Inquiry type indicator.	
	<b>action</b>	get_sumregnamegift	<i>Required.</i> All connection types. Variable representing the specific inquiry.	
	<b>URL</b>	nnn.nnn.n.n	<i>Optional.</i> Direct and DAD only. The URL of the requester, used for reporting. Results will display only if a URL is included.	
	<b>dsource</b>	Xxxxxxxx	<i>Required.</i> Connection pooling servlet only. The key to the client door to the database.	
	<b>datafile</b>	EVENT		<i>Optional.</i> Restricts to this event.
		APPEAL		<i>Optional.</i> Restricts to payments with this appeal.
		CAMPAIGN		<i>Optional.</i> Restricts to events with this campaigncode and istemplate = 'N'.
		FUND		<i>Optional.</i> Restricts to events with this fundcode and istemplate = 'N'.
		PARENT_EVENT		<i>Optional.</i> Restricts to events with this parent_event and istemplate = 'N'.
		EVENT_START		<i>Optional.</i> Restricts to events with event_start on or after this date and istemplate = 'N'. If this is specified, exclude events with event_start is null.
		EVENT_TYPE		<i>Optional.</i> Restricts to events with this type and istemplate = 'N'.
		GROUPID		<i>Optional.</i> Restricts to event_groups with matching transnum.
PARENTGROUPID			<i>Optional.</i> Restricts to event_groups with matching parentgroupid.	
PAYDATE_START			<i>Optional.</i> Restricts to payments on or after this date.	
PAYDATE_END		<i>Optional.</i> Restricts to payments on or before this date.		
TOPN		<i>Optional.</i> Restricts to that number of top groups, ranked on the basis of total payamount.		
<b>Sample Data</b>	<pre>&lt;?xml version="1.0" encoding="UTF-8"?&gt; &lt;XMLREQUEST&gt; &lt;RECORD&gt; &lt;EVENT&gt;1234&lt;/EVENT&gt; &lt;/RECORD&gt; &lt;/XMLREQUEST&gt;</pre>			
<b>Sample Result</b>	<pre>&lt;?xml version="1.0" encoding="UTF-8"?&gt; &lt;XMLREQUEST&gt; &lt;RECORD&gt; &lt;EVENT&gt;1234&lt;/EVENT&gt; &lt;/RECORD&gt; &lt;/XMLREQUEST&gt; &lt;?xml version="1.0" ?&gt; &lt;GET_SUMREGNAMEGIFT TRANS_TIMESTAMP="07/21/2014 10:07:47 am" EVENT="1234"&gt; &lt;REG_NAME&gt;&lt;EVENT_GROUPS.GROUPID&gt;2157&lt;/EVENT_GROUPS.GROUPID&gt;&lt;EV ENT_GROUPS.GROUPNAME&gt;group description&lt;/EVENT_GROUPS.GROUPNAME&gt;&lt;EVENT_GROUPS.EVE NT&gt;1234&lt;/EVENT_GROUPS.EVENT&gt;&lt;REG_NAME.NAME_ID&gt;351775&lt;/REG_NAME.NAME_ID&gt;&lt;REG_NAME .NAME&gt;Kohl&lt;/REG_NAME.NAME&gt;&lt;REG_NAME.FNAME&gt;Joan&lt;/REG_NAME.FNAME&gt;&lt;REG_NAME.GIFTTOT AL&gt;0&lt;/REG_NAME.GIFTTOTAL&gt;&lt;REG_NAME.GIFTCOUNT&gt;0&lt;/REG_NAME.GIFTCOUNT&gt;&lt;REG_NAME.RAN K&gt;1&lt;/REG_NAME.RANK&gt;&lt;PROSPECT_ALIAS&gt;&lt;ROWSET&gt; &lt;/ROWSET&gt; &lt;/PROSPECT_ALIAS&gt;&lt;/REG_NAM E&gt;&lt;REG_NAME&gt;&lt;EVENT_GROUPS.GROUPID&gt;2157&lt;/EVENT_GROUPS.GROUPID&gt;&lt;EVENT_GROUPS.GROUP</pre>			

# API Inquiry: get\_get\_sumregnamegift

	<pre> NAME&gt;group description&lt;/EVENT_GROUPS.GROUPNAME&gt;&lt;EVENT_GROUPS.EVENT&gt;1234&lt;/EVENT_G ROUPS.EVENT&gt;&lt;REG_NAME.NAME_ID&gt;351189&lt;/REG_NAME.NAME_ID&gt;&lt;REG_NAME.NAME&gt;Kohi&lt;/REG_ NAME.NAME&gt;&lt;REG_NAME.FNAME&gt;Joan&lt;/REG_NAME.FNAME&gt;&lt;REG_NAME.GIFTTOTAL&gt;191.38&lt;/REG_N AME.GIFTTOTAL&gt;&lt;REG_NAME.GIFTCOUNT&gt;31&lt;/REG_NAME.GIFTCOUNT&gt;&lt;REG_NAME.RANK&gt;2&lt;/REG_N AME.RANK&gt;&lt;PROSPECT_ALIAS&gt;&lt;ROWSET&gt; &lt;/ROWSET&gt; &lt;/PROSPECT_ALIAS&gt;&lt;/REG_NAME&gt;&lt;REG_NAM E&gt;&lt;EVENT_GROUPS.GROUPID&gt;2157&lt;/EVENT_GROUPS.GROUPID&gt;&lt;EVENT_GROUPS.GROUPNAME&gt;group description&lt;/EVENT_GROUPS.GROUPNAME&gt;&lt;EVENT_GROUPS.EVENT&gt;1234&lt;/EVENT_GROUPS.EVEN T&gt;&lt;REG_NAME.NAME_ID&gt;351601&lt;/REG_NAME.NAME_ID&gt;&lt;REG_NAME.NAME&gt;Kohi&lt;/REG_NAME.NAME&gt; &lt;REG_NAME.FNAME&gt;Joan &lt;/REG_NAME.FNAME&gt;&lt;REG_NAME.GIFTTOTAL&gt;48&lt;/REG_NAME.GIFTTOTAL &gt;&lt;REG_NAME.GIFTCOUNT&gt;5&lt;/REG_NAME.GIFTCOUNT&gt;&lt;REG_NAME.RANK&gt;3&lt;/REG_NAME.RANK&gt;&lt;PROS PECT_ALIAS&gt;&lt;ROWSET&gt; &lt;DETAIL&gt; &lt;PROSPECT_ALIAS.ALIAS&gt;test&lt;/PROSPECT_ALIAS.AL IAS&gt; &lt;/DETAIL&gt; &lt;/ROWSET&gt; &lt;/PROSPECT_ALIAS&gt;&lt;/REG_NAME&gt; &lt;/GET_SUMREGNAMEGIFT&gt; </pre>
<b>Additional Reading</b>	
<b>Reference</b>	E460019

# API Inquiry: get\_get\_sumregnamegift

<b>Connection Pooling</b>	<a href="https://webapps.softrek.com/testprod/api/proc?dsourc=12345678&amp;scheme=GET&amp;action=get_sumregnamegift&amp;datafile=">https://webapps.softrek.com/testprod/api/proc?dsourc=12345678&amp;scheme=GET&amp;action=get_sumregnamegift&amp;datafile=</a>
<b>Data Access Descriptor (DAD)</b>	
<b>Direct Connection</b>	<pre> set serveroutput on; declare vScheme varchar2(100) := 'GET'; vAction varchar2(200) := 'xml_pm.get_sumregnamegift'; vURL varchar2(100) := '128.168.0.1'; vXML varchar2(10000); rval_clob CLOB; begin owa.num_cgi_vars := 0; vXML := '&lt;?xml version="1.0" encoding="UTF-8"?&gt;'    CHR(10)    ' &lt;XMLREQUEST&gt;'    CHR(10)    ' &lt;RECORD&gt;'    CHR(10)    ' &lt;EVENT&gt;1234&lt;/EVENT &gt;'    CHR(10)    ' &lt;/RECORD&gt;'    CHR(10)    ' &lt;/XMLREQUEST&gt;'; rval_clob := NULL; apiwrap.all_traffic(vScheme, vAction, vURL, vXML, rval_clob); IF (rval_clob IS NOT NULL) THEN dbms_output.put_line(substr(rval_clob,1,200)); dbms_output.put_line(substr(rval_clob,201,200)); dbms_output.put_line(substr(rval_clob,401,200)); dbms_output.put_line(substr(rval_clob,601,200)); dbms_output.put_line(substr(rval_clob,801,200)); END IF; end; </pre>